

PORON® Urethane Foams

PORON® Urethane CFD Curve Data

% Deflection

| PRODUCT  | 1    | 2    | 3     | 4     | 5     | 6     | 7     | 8     | 9     | 10    | 11    | 12    | 13    | 14    | 15    | 16    | 17    | 18    | 19    | 20    |
|----------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 15-06021 | 0.07 | 0.10 | 0.12  | 0.15  | 0.16  | 0.17  | 0.19  | 0.21  | 0.22  | 0.25  | 0.25  | 0.26  | 0.27  | 0.28  | 0.29  | 0.31  | 0.33  | 0.33  | 0.34  | 0.35  |
| 15-06030 | 0.07 | 0.11 | 0.15  | 0.18  | 0.20  | 0.23  | 0.25  | 0.26  | 0.28  | 0.30  | 0.31  | 0.32  | 0.32  | 0.33  | 0.34  | 0.35  | 0.35  | 0.37  | 0.38  | 0.40  |
| 15-06039 | 0.13 | 0.21 | 0.27  | 0.33  | 0.38  | 0.40  | 0.43  | 0.45  | 0.47  | 0.48  | 0.50  | 0.51  | 0.52  | 0.54  | 0.55  | 0.57  | 0.57  | 0.58  | 0.59  | 0.61  |
| 92-25031 | 0.27 | 0.61 | 1.00  | 1.35  | 1.70  | 2.04  | 2.32  | 2.61  | 2.89  | 3.17  | 3.38  | 3.55  | 3.70  | 3.84  | 3.96  | 4.08  | 4.17  | 4.27  | 4.37  | 4.51  |
| 92-20081 | 0.26 | 0.53 | 0.80  | 1.08  | 1.28  | 1.51  | 1.71  | 1.87  | 2.06  | 2.20  | 2.33  | 2.43  | 2.49  | 2.57  | 2.64  | 2.68  | 2.74  | 2.80  | 2.86  | 2.91  |
| 92-15125 | 0.23 | 0.38 | 0.55  | 0.71  | 0.85  | 0.98  | 1.11  | 1.22  | 1.30  | 1.36  | 1.43  | 1.45  | 1.50  | 1.54  | 1.55  | 1.55  | 1.59  | 1.63  | 1.65  | 1.68  |
| 60-25062 | 1.55 | 5.48 | 11.38 | 17.71 | 24.01 | 30.21 | 36.26 | 42.15 | 47.85 | 53.25 | 58.43 | 63.20 | 67.55 | 71.47 | 75.02 | 78.19 | 81.11 | 83.84 | 86.41 | 88.93 |
| 60-20031 | 1.35 | 4.44 | 8.87  | 13.60 | 18.28 | 22.74 | 26.95 | 30.86 | 34.42 | 37.66 | 40.51 | 42.98 | 45.10 | 46.92 | 48.53 | 49.97 | 51.22 | 52.45 | 53.64 | 54.84 |
| 60-15250 | 3.06 | 7.13 | 11.11 | 14.75 | 17.94 | 20.67 | 22.95 | 24.75 | 26.08 | 27.23 | 28.25 | 29.15 | 30.07 | 30.93 | 31.74 | 32.54 | 33.29 | 34.04 | 34.74 | 35.44 |
| 50-30045 | 2.04 | 4.67 | 7.74  | 10.93 | 14.10 | 17.23 | 20.26 | 23.17 | 25.95 | 28.49 | 30.84 | 32.99 | 34.91 | 36.64 | 38.18 | 39.63 | 41.00 | 42.30 | 43.57 | 44.81 |
| 50-30017 | 1.35 | 2.40 | 4.16  | 6.28  | 8.46  | 10.73 | 13.01 | 15.16 | 17.31 | 19.27 | 21.14 | 22.88 | 24.38 | 25.87 | 27.06 | 28.24 | 29.33 | 30.39 | 31.43 | 32.45 |
| 50-20125 | 1.59 | 3.19 | 4.69  | 6.16  | 7.52  | 8.79  | 9.94  | 10.96 | 11.85 | 12.58 | 13.19 | 13.69 | 14.17 | 14.52 | 14.86 | 15.19 | 15.49 | 15.78 | 16.09 | 16.39 |
| 50-15375 | 1.22 | 2.59 | 3.86  | 5.01  | 6.04  | 6.91  | 7.61  | 8.23  | 8.67  | 8.99  | 9.28  | 9.49  | 9.71  | 9.89  | 10.07 | 10.24 | 10.41 | 10.59 | 10.76 | 10.96 |
| 41-30045 | 1.10 | 2.12 | 3.40  | 4.91  | 6.50  | 8.19  | 9.82  | 11.43 | 13.02 | 14.51 | 15.94 | 17.25 | 18.49 | 19.66 | 20.71 | 21.72 | 22.69 | 23.61 | 24.56 | 25.52 |
| 41-20093 | 1.23 | 2.31 | 3.44  | 4.51  | 5.53  | 6.55  | 7.45  | 8.33  | 9.10  | 9.79  | 10.39 | 10.94 | 11.44 | 11.91 | 12.35 | 12.78 | 13.22 | 13.64 | 14.08 | 14.53 |
| 40-30045 | 1.28 | 3.03 | 5.02  | 7.22  | 9.45  | 11.66 | 13.84 | 16.02 | 18.03 | 19.94 | 21.71 | 23.33 | 24.82 | 26.18 | 27.42 | 28.60 | 29.72 | 30.84 | 31.91 | 33.00 |
| 40-30031 | 1.39 | 3.05 | 4.92  | 6.95  | 8.97  | 10.98 | 12.94 | 14.79 | 16.52 | 18.14 | 19.60 | 20.85 | 21.95 | 22.96 | 23.90 | 24.73 | 25.54 | 26.29 | 27.04 | 27.78 |
| 40-20062 | 1.22 | 2.11 | 2.99  | 3.82  | 4.59  | 5.28  | 5.89  | 6.41  | 6.87  | 7.25  | 7.56  | 7.84  | 8.09  | 8.32  | 8.52  | 8.71  | 8.92  | 9.12  | 9.28  | 9.45  |
| 40-15250 | 0.96 | 1.64 | 2.28  | 2.85  | 3.37  | 3.83  | 4.16  | 4.47  | 4.67  | 4.87  | 5.00  | 5.13  | 5.22  | 5.37  | 5.48  | 5.63  | 5.72  | 5.83  | 5.91  | 6.06  |
| 30-25035 | 0.77 | 1.36 | 2.00  | 2.61  | 3.22  | 3.81  | 4.36  | 4.88  | 5.36  | 5.77  | 6.12  | 6.44  | 6.72  | 6.97  | 7.20  | 7.40  | 7.63  | 7.84  | 8.05  | 8.23  |
| 30-20062 | 0.64 | 1.05 | 1.46  | 1.87  | 2.29  | 2.62  | 2.94  | 3.24  | 3.45  | 3.67  | 3.79  | 3.94  | 4.04  | 4.18  | 4.29  | 4.38  | 4.48  | 4.58  | 4.70  | 4.79  |
| 30-15375 | 0.30 | 0.63 | 0.86  | 1.13  | 1.34  | 1.52  | 1.64  | 1.77  | 1.87  | 1.98  | 2.07  | 2.12  | 2.22  | 2.28  | 2.34  | 2.41  | 2.44  | 2.50  | 2.58  | 2.62  |

\* All values are pounds per square inch

The information contained in this Data Sheet is intended to assist you in designing with Rogers' High Performance Foam Materials. It is not intended to and does not create any warranties, express or implied, including any warranty of merchantability or fitness for a particular purpose or that the results shown on the Data Sheet will be achieved by a user for a particular purpose. The user should determine the suitability of Rogers' High Performance Foam Materials for each application. The Rogers logo, The world runs better with Rogers, and PORON are licensed trademarks of Rogers Corporation. © 2003, 2007, 2009 Rogers Corporation, All rights reserved. Printed in U.S.A., 9006-0109-PDF, Publication #17-074

# PORON® Urethane CFD Curve Data

## % Deflection

| PRODUCT  | 21    | 22    | 23    | 24    | 25     | 26     | 27     | 28     | 29     | 30     | 31     | 32     | 33     | 34     | 35     | 36     | 37     | 38     | 39     | 40     |
|----------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 15-06021 | 0.35  | 0.36  | 0.37  | 0.38  | 0.40   | 0.41   | 0.42   | 0.42   | 0.44   | 0.45   | 0.47   | 0.48   | 0.50   | 0.51   | 0.53   | 0.56   | 0.57   | 0.58   | 0.60   | 0.63   |
| 15-06030 | 0.40  | 0.41  | 0.42  | 0.43  | 0.44   | 0.44   | 0.46   | 0.47   | 0.48   | 0.49   | 0.50   | 0.51   | 0.53   | 0.54   | 0.56   | 0.57   | 0.59   | 0.61   | 0.63   | 0.65   |
| 15-06039 | 0.62  | 0.63  | 0.64  | 0.66  | 0.67   | 0.68   | 0.70   | 0.71   | 0.73   | 0.75   | 0.76   | 0.78   | 0.80   | 0.82   | 0.84   | 0.85   | 0.88   | 0.90   | 0.93   | 0.96   |
| 92-25031 | 4.61  | 4.71  | 4.84  | 4.94  | 5.05   | 5.20   | 5.33   | 5.48   | 5.65   | 5.84   | 6.02   | 6.20   | 6.42   | 6.63   | 6.85   | 7.06   | 7.36   | 7.72   | 8.01   | 8.38   |
| 92-20081 | 2.98  | 3.03  | 3.08  | 3.14  | 3.21   | 3.27   | 3.35   | 3.42   | 3.50   | 3.62   | 3.70   | 3.76   | 3.87   | 3.96   | 4.09   | 4.21   | 4.31   | 4.45   | 4.60   | 4.74   |
| 92-15125 | 1.71  | 1.73  | 1.77  | 1.77  | 1.81   | 1.85   | 1.87   | 1.90   | 1.94   | 1.97   | 2.03   | 2.04   | 2.10   | 2.16   | 2.19   | 2.23   | 2.34   | 2.37   | 2.38   | 2.48   |
| 60-25062 | 91.39 | 93.87 | 96.36 | 98.83 | 101.33 | 103.92 | 106.62 | 109.33 | 112.26 | 115.19 | 118.28 | 121.48 | 124.89 | 128.49 | 132.28 | 136.26 | 140.51 | 145.06 | 149.90 | 155.11 |
| 60-20031 | 56.01 | 57.16 | 58.41 | 59.68 | 60.92  | 62.25  | 63.62  | 65.01  | 66.48  | 68.03  | 69.63  | 71.33  | 73.10  | 74.94  | 76.91  | 78.99  | 81.19  | 83.49  | 85.99  | 88.67  |
| 60-15250 | 36.16 | 37.63 | 38.34 | 39.14 | 39.92  | 40.74  | 41.59  | 42.48  | 43.43  | 44.39  | 45.39  | 46.47  | 47.61  | 48.79  | 50.04  | 51.35  | 52.76  | 54.21  | 55.75  | 57.37  |
| 50-30045 | 46.05 | 47.32 | 48.59 | 49.90 | 51.24  | 52.62  | 54.04  | 55.57  | 57.17  | 58.84  | 60.60  | 62.41  | 64.44  | 66.58  | 68.84  | 71.31  | 73.99  | 76.92  | 80.09  | 83.52  |
| 50-30017 | 33.48 | 34.54 | 35.61 | 36.72 | 37.85  | 39.00  | 40.20  | 41.41  | 42.78  | 44.15  | 45.68  | 47.28  | 48.97  | 50.80  | 52.66  | 54.82  | 56.98  | 59.50  | 62.15  | 65.05  |
| 50-20125 | 16.69 | 17.00 | 17.34 | 17.67 | 17.98  | 18.30  | 18.67  | 19.06  | 19.43  | 19.82  | 20.24  | 20.67  | 21.11  | 21.58  | 22.09  | 22.61  | 23.16  | 23.77  | 24.36  | 25.03  |
| 50-15375 | 11.16 | 11.35 | 11.56 | 11.77 | 11.98  | 12.22  | 12.42  | 12.64  | 12.90  | 13.13  | 13.40  | 13.67  | 13.95  | 14.27  | 14.55  | 14.88  | 15.23  | 15.59  | 15.95  | 16.35  |
| 41-30045 | 26.45 | 27.39 | 28.39 | 29.39 | 30.42  | 31.50  | 32.61  | 33.76  | 34.98  | 36.26  | 37.60  | 39.04  | 40.52  | 42.06  | 43.78  | 45.58  | 47.51  | 49.60  | 51.80  | 54.22  |
| 41-20093 | 14.97 | 15.41 | 15.85 | 16.32 | 16.80  | 17.31  | 17.81  | 18.34  | 18.90  | 19.48  | 20.05  | 20.64  | 21.28  | 21.94  | 22.64  | 23.37  | 24.14  | 24.95  | 25.78  | 26.67  |
| 40-30045 | 34.06 | 35.16 | 36.28 | 37.41 | 38.56  | 39.77  | 41.01  | 42.35  | 43.77  | 45.23  | 46.82  | 48.53  | 50.36  | 52.32  | 54.45  | 56.77  | 59.29  | 62.05  | 65.07  | 68.41  |
| 40-30031 | 28.52 | 29.29 | 30.07 | 30.88 | 31.71  | 32.56  | 33.42  | 34.38  | 35.36  | 36.38  | 37.48  | 38.63  | 39.82  | 41.13  | 42.55  | 44.05  | 45.66  | 47.40  | 49.30  | 51.34  |
| 40-20062 | 9.65  | 9.87  | 10.07 | 10.27 | 10.48  | 10.70  | 10.90  | 11.16  | 11.37  | 11.67  | 11.90  | 12.18  | 12.50  | 12.78  | 13.10  | 13.41  | 13.79  | 14.18  | 14.58  | 15.01  |
| 40-15250 | 6.18  | 6.26  | 6.37  | 6.44  | 6.62   | 6.77   | 6.92   | 7.05   | 7.22   | 7.33   | 7.45   | 7.58   | 7.79   | 7.90   | 8.12   | 8.34   | 8.61   | 8.75   | 8.96   | 9.19   |
| 30-25035 | 8.44  | 8.65  | 8.87  | 9.12  | 9.30   | 9.55   | 9.77   | 10.01  | 10.25  | 10.55  | 10.81  | 11.08  | 11.42  | 11.71  | 12.04  | 12.41  | 12.79  | 13.20  | 13.63  | 14.11  |
| 30-20062 | 4.89  | 5.00  | 5.11  | 5.22  | 5.34   | 5.47   | 5.60   | 5.73   | 5.85   | 5.99   | 6.14   | 6.27   | 6.45   | 6.61   | 6.78   | 6.98   | 7.19   | 7.41   | 7.62   | 7.86   |
| 30-15375 | 2.71  | 2.76  | 2.83  | 2.90  | 2.96   | 3.04   | 3.10   | 3.17   | 3.25   | 3.34   | 3.42   | 3.50   | 3.61   | 3.68   | 3.79   | 3.87   | 3.98   | 4.08   | 4.21   | 4.37   |

\* All values are pounds per square inch

The information contained in this Data Sheet is intended to assist you in designing with Rogers' High Performance Foam Materials. It is not intended to and does not create any warranties, express or implied, including any warranty of merchantability or fitness for a particular purpose or that the results shown on the Data Sheet will be achieved by a user for a particular purpose. The user should determine the suitability of Rogers' High Performance Foam Materials for each application. The Rogers logo, The world runs better with Rogers, and PORON are licensed trademarks of Rogers Corporation. © 2003, 2007, 2009 Rogers Corporation, All rights reserved. Printed in U.S.A., 9006-0109-PDF, Publication #17-074

# PORON® Urethane CFD Curve Data

## % Deflection

| PRODUCT  | 41     | 42     | 43     | 44     | 45     | 46     | 47     | 48     | 49     | 50     | 51     | 52     | 53     | 54     | 55     | 56     | 57     | 58     | 59     | 60     |
|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 15-06021 | 0.65   | 0.68   | 0.70   | 0.73   | 0.76   | 0.79   | 0.83   | 0.87   | 0.92   | 0.96   | 1.01   | 1.07   | 1.14   | 1.22   | 1.30   | 1.39   | 1.50   | 1.62   | 1.76   | 1.93   |
| 15-06030 | 0.67   | 0.69   | 0.72   | 0.75   | 0.78   | 0.81   | 0.84   | 0.88   | 0.91   | 0.95   | 1.00   | 1.06   | 1.10   | 1.17   | 1.25   | 1.33   | 1.41   | 1.51   | 1.62   | 1.74   |
| 15-06039 | 0.98   | 1.01   | 1.04   | 1.07   | 1.11   | 1.14   | 1.18   | 1.23   | 1.27   | 1.32   | 1.38   | 1.43   | 1.48   | 1.55   | 1.63   | 1.71   | 1.80   | 1.90   | 2.00   | 2.12   |
| 92-25031 | 8.82   | 9.28   | 9.80   | 10.36  | 11.07  | 11.84  | 12.68  | 13.61  | 14.69  | 15.96  | 17.46  | 19.18  | 21.26  | 23.65  | 26.55  | 30.02  | 34.21  | 39.48  | 46.00  | 54.27  |
| 92-20081 | 4.90   | 5.05   | 5.28   | 5.52   | 5.75   | 6.01   | 6.29   | 6.61   | 6.97   | 7.39   | 7.86   | 8.37   | 8.96   | 9.62   | 10.37  | 11.26  | 12.26  | 13.41  | 14.75  | 16.29  |
| 92-15125 | 2.53   | 2.59   | 2.69   | 2.77   | 2.87   | 2.93   | 3.06   | 3.17   | 3.31   | 3.47   | 3.60   | 3.76   | 3.93   | 4.15   | 4.42   | 4.71   | 5.01   | 5.37   | 5.71   | 6.12   |
| 60-25062 | 160.73 | 166.74 | 173.18 | 180.20 | 187.94 | 196.26 | 205.29 | 213.96 |        |        |        |        |        |        |        |        |        |        |        |        |
| 60-20031 | 91.47  | 94.56  | 97.80  | 101.30 | 105.11 | 109.23 | 113.73 | 118.59 | 123.84 | 129.63 | 136.00 | 142.98 | 150.69 | 159.23 | 168.68 | 179.04 | 190.59 | 203.21 | 215.22 |        |
| 60-15250 | 59.12  | 60.99  | 62.98  | 65.05  | 67.28  | 69.58  | 72.07  | 74.67  | 77.39  | 80.27  | 83.32  | 86.52  | 89.93  | 93.54  | 97.48  | 101.73 | 106.51 | 111.77 | 117.77 | 124.53 |
| 50-30045 | 87.31  | 91.58  | 96.27  | 101.40 | 107.17 | 113.75 | 121.14 | 129.45 | 138.78 | 149.63 | 162.05 | 176.31 | 192.53 | 208.69 |        |        |        |        |        |        |
| 50-30017 | 68.32  | 71.65  | 75.73  | 79.82  | 84.71  | 89.87  | 95.65  | 102.30 | 109.48 | 117.87 | 127.47 | 138.26 | 150.55 | 164.82 | 181.27 | 200.02 | 219.26 |        |        |        |
| 50-20125 | 25.72  | 26.49  | 27.29  | 28.19  | 29.07  | 30.08  | 31.18  | 32.36  | 33.63  | 35.07  | 36.61  | 38.34  | 40.23  | 42.30  | 44.67  | 47.32  | 50.21  | 53.52  | 57.26  | 61.52  |
| 50-15375 | 16.78  | 17.23  | 17.69  | 18.22  | 18.77  | 19.33  | 19.94  | 20.60  | 21.33  | 22.12  | 22.99  | 23.92  | 24.95  | 26.06  | 27.28  | 28.62  | 30.14  | 31.79  | 33.64  | 35.74  |
| 41-30045 | 56.86  | 59.68  | 62.83  | 66.27  | 70.00  | 74.26  | 78.96  | 84.20  | 90.21  | 96.78  | 104.19 | 113.04 | 122.93 | 134.63 | 148.38 | 164.65 | 184.23 | 207.90 | 225.51 |        |
| 41-20093 | 27.60  | 28.58  | 29.62  | 30.66  | 31.87  | 33.13  | 34.49  | 35.91  | 37.49  | 39.17  | 40.94  | 42.92  | 44.80  | 47.45  | 50.02  | 52.83  | 55.99  | 59.49  | 63.40  | 67.79  |
| 40-30045 | 72.10  | 76.18  | 80.74  | 85.86  | 91.61  | 98.07  | 105.44 | 113.90 | 123.66 | 134.93 | 148.01 | 163.48 | 181.93 | 203.56 | 218.05 |        |        |        |        |        |
| 40-30031 | 53.60  | 56.08  | 58.80  | 61.79  | 65.08  | 68.75  | 72.89  | 77.47  | 82.69  | 88.60  | 95.28  | 102.94 | 111.70 | 121.87 | 133.60 | 147.29 | 163.45 | 182.80 | 205.98 |        |
| 40-20062 | 15.47  | 15.98  | 16.52  | 17.11  | 17.71  | 18.36  | 19.08  | 19.89  | 20.78  | 21.70  | 22.74  | 23.93  | 25.23  | 26.72  | 28.33  | 30.16  | 32.17  | 34.46  | 37.07  | 40.01  |
| 40-15250 | 9.43   | 9.75   | 10.02  | 10.34  | 10.63  | 10.95  | 11.40  | 11.79  | 12.26  | 12.70  | 13.22  | 13.82  | 14.46  | 15.14  | 15.90  | 16.77  | 17.70  | 18.72  | 19.92  | 21.20  |
| 30-25035 | 14.61  | 15.16  | 15.75  | 16.39  | 17.08  | 17.88  | 18.72  | 19.65  | 20.69  | 21.83  | 23.11  | 24.59  | 26.18  | 27.98  | 30.08  | 32.48  | 35.25  | 38.46  | 42.23  | 46.72  |
| 30-20062 | 8.11   | 8.38   | 8.67   | 8.95   | 9.34   | 9.71   | 10.10  | 10.53  | 11.02  | 11.57  | 12.14  | 12.80  | 13.51  | 14.33  | 15.20  | 16.20  | 17.33  | 18.59  | 20.02  | 21.67  |
| 30-15375 | 4.46   | 4.60   | 4.78   | 4.94   | 5.10   | 5.31   | 5.49   | 5.73   | 5.96   | 6.22   | 6.51   | 6.81   | 7.14   | 7.51   | 7.92   | 8.40   | 8.89   | 9.47   | 10.11  | 10.82  |

The information contained in this Data Sheet is intended to assist you in designing with Rogers' High Performance Foam Materials. It is not intended to and does not create any warranties, express or implied, including any warranty of merchantability or fitness for a particular purpose or that the results shown on the Data Sheet will be achieved by a user for a particular purpose. The user should determine the suitability of Rogers' High Performance Foam Materials for each application. The Rogers logo, The world runs better with Rogers, and PORON are licensed trademarks of Rogers Corporation. © 2003, 2007, 2009 Rogers Corporation, All rights reserved. Printed in U.S.A., 9006-0109-PDF, Publication #17-074

# PORON® Urethane CFD Curve Data

## % Deflection

| PRODUCT  | 61     | 62     | 63     | 64     | 65     | 66     | 67     | 68     | 69     | 70     | 71     | 72     | 73     | 74     | 75     | 76     | 77     | 78     | 79     | 80     |
|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 15-06021 | 2.10   | 2.33   | 2.61   | 2.87   | 3.24   | 3.67   | 4.16   | 4.78   | 5.53   | 6.41   | 7.61   | 8.98   | 10.81  | 13.36  | 16.26  | 20.98  | 25.97  | 34.32  | 46.76  | 66.07  |
| 15-06030 | 1.89   | 2.07   | 2.24   | 2.47   | 2.74   | 3.01   | 3.38   | 3.86   | 4.31   | 4.95   | 5.71   | 6.66   | 7.68   | 9.14   | 11.02  | 13.13  | 16.22  | 20.43  | 25.36  | 33.27  |
| 15-06039 | 2.26   | 2.42   | 2.59   | 2.80   | 3.03   | 3.29   | 3.61   | 3.99   | 4.34   | 4.81   | 5.38   | 6.04   | 6.84   | 7.80   | 8.98   | 10.44  | 12.27  | 14.23  | 17.12  | 20.94  |
| 92-09030 | 4.81   | 5.27   | 5.79   | 6.39   | 7.11   | 7.95   | 8.93   | 10.11  | 11.52  | 12.98  | 15.01  | 17.51  | 20.64  | 24.58  | 25.66  | 36.27  | 45.05  | 57.20  | 70.45  |        |
| 92-12049 | 4.45   | 4.83   | 5.25   | 5.84   | 6.41   | 7.07   | 7.98   | 8.91   | 10.20  | 11.51  | 13.09  | 15.34  | 17.77  | 20.78  | 25.36  | 30.71  | 37.85  | 50.06  | 59.75  | 72.51  |
| 92-25031 | 64.98  | 80.58  | 103.59 | 141.54 | 208.89 |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
| 92-20081 | 18.08  | 20.24  | 22.89  | 26.13  | 30.17  | 35.39  | 42.32  | 51.53  | 64.47  | 84.22  | 116.13 | 178.38 | 220.36 |        |        |        |        |        |        |        |
| 92-15125 | 6.63   | 7.24   | 7.88   | 8.64   | 9.54   | 10.56  | 11.73  | 13.18  | 14.88  | 16.91  | 19.41  | 22.51  | 26.33  | 31.42  | 38.51  | 48.71  | 64.17  | 89.33  | 160.54 | 221.93 |
| 60-25062 |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
| 60-20031 |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
| 60-15250 | 132.16 | 140.68 | 150.36 | 161.35 | 173.52 | 187.54 | 203.21 | 216.19 |        |        |        |        |        |        |        |        |        |        |        |        |
| 50-30045 |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
| 50-30017 |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
| 50-20125 | 66.35  | 71.86  | 78.14  | 85.38  | 93.79  | 103.69 | 115.30 | 128.97 | 145.40 | 165.33 | 190.07 | 220.56 |        |        |        |        |        |        |        |        |
| 50-15375 | 38.10  | 40.74  | 43.72  | 47.11  | 50.91  | 55.32  | 60.38  | 66.18  | 72.95  | 80.92  | 90.20  | 101.18 | 114.30 | 130.31 | 149.80 | 174.12 | 204.34 | 222.94 |        |        |
| 41-30045 |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
| 41-20093 | 72.79  | 78.42  | 84.80  | 92.11  | 100.53 | 110.33 | 121.83 | 135.32 | 151.33 | 170.68 | 194.33 | 213.19 |        |        |        |        |        |        |        |        |
| 40-30045 |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
| 40-30031 |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
| 40-20062 | 43.39  | 47.30  | 51.78  | 56.96  | 63.13  | 70.41  | 79.00  | 89.31  | 101.89 | 117.26 | 136.43 | 160.90 | 193.12 | 218.12 |        |        |        |        |        |        |
| 40-15250 | 22.69  | 24.35  | 26.24  | 28.37  | 30.83  | 33.62  | 36.86  | 40.57  | 44.90  | 50.01  | 56.06  | 63.20  | 71.91  | 82.89  | 96.56  | 113.84 | 136.29 | 166.81 | 208.96 |        |
| 30-25035 | 52.01  | 58.46  | 66.23  | 75.78  | 87.76  | 102.90 | 122.49 | 150.23 | 191.70 | 219.48 |        |        |        |        |        |        |        |        |        |        |
| 30-20062 | 23.55  | 25.71  | 28.20  | 31.10  | 34.50  | 38.60  | 43.55  | 49.56  | 56.93  | 66.26  | 78.41  | 94.08  | 116.16 | 148.54 | 202.54 | 219.99 |        |        |        |        |
| 30-15375 | 11.61  | 12.53  | 13.57  | 14.74  | 16.09  | 17.60  | 19.36  | 21.44  | 23.85  | 26.71  | 30.14  | 34.27  | 39.41  | 45.94  | 54.37  | 65.68  | 81.33  | 104.11 | 139.86 | 205.21 |

The information contained in this Data Sheet is intended to assist you in designing with Rogers' High Performance Foam Materials. It is not intended to and does not create any warranties, express or implied, including any warranty of merchantability or fitness for a particular purpose or that the results shown on the Data Sheet will be achieved by a user for a particular purpose. The user should determine the suitability of Rogers' High Performance Foam Materials for each application. The Rogers logo, The world runs better with Rogers, and PORON are licensed trademarks of Rogers Corporation. © 2003, 2007, 2009 Rogers Corporation, All rights reserved. Printed in U.S.A., 9006-0109-PDF, Publication #17-074